

Colorectal Cancer Deaths

Colorectal Cancer Deaths

- Most recent data (2014): 11.5 deaths per 100,000, including 231 deaths.
- Trend over time: 2000-14: falling
- Healthy People 2020 Goal: 15 per 100,000 or lower

Colorectal cancer deaths, King County, 2010-2014 average

| | Rate | Lower CI | Upper CI | Count per Year |
|-------------------------------|-------|----------|----------|----------------|
| King County (all ages) | 12.3 | 11.6 | 13.0 | 242 |
| AGE | | | | |
| <18 | * | * | * | * |
| 18-24 | * | * | * | * |
| 25-44 | 1.5 | 1.1 | 2.0 | 9 |
| 45-64 | 13.4 | 12.0 | 14.8 | 71 |
| 65+ | 70.8 | 66.0 | 75.8 | 161 |
| GENDER | | | | |
| Male | 13.9 | 12.8 | 15.1 | 122 |
| Female | 10.9 | 10 | 11.8 | 120 |
| RACE/ETHNICITY | | | | |
| AIAN | 15.7 | 7.5 | 31.8 | 2 |
| Asian | 10 | 8.3 | 12.1 | 25 |
| Black | 16.1 | 12.4 | 20.6 | 15 |
| Hispanic | 8.0 | 4.5 | 13.4 | 4 |
| Multiple | 8.4 | 4.0 | 16.6 | 3 |
| NHPI | 8.5 § | 3.0 § | 46.2 § | 1 |
| White | 12.3 | 11.5 | 13.1 | 195 |
| NEIGHBORHOOD POVERTY | | | | |
| High | 13.5 | 11.4 | 15.8 | 31 |
| Medium | 13.0 | 12.1 | 13.9 | 165 |
| Low | 9.3 | 8.1 | 10.7 | 44 |
| REGION | | | | |
| East | 10.8 | 9.5 | 12.1 | 56 |
| North | 11.0 | 8.8 | 13.8 | 17 |
| Seattle | 12.2 | 11.0 | 13.6 | 75 |
| South | 13.5 | 12.3 | 14.8 | 92 |
| STATE | | | | |
| Washington State | 13.3 | 13.0 | 13.7 | 985 |

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer deaths

King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

[§] Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

Colorectal cancer deaths by health reporting areas, King County, 2010-2014 average

| | Rate | Lower CI | Upper CI | Count per Year |
|----------------------------------|--------|----------|----------|----------------|
| King County (all ages) | 12.3 | 11.6 | 13.0 | 242 |
| Auburn | 12.6 | 8.9 | 17.5 | 8 |
| ..Auburn-North | 10.3 | 6.2 | 16.4 | 4 |
| ..Auburn-South | 16.5 | 9.7 | 26.5 | 4 |
| Bear Creek/Carnation/Duvall | 13.0 | 8.3 | 19.5 | 6 |
| Bellevue | 10.4 | 8.3 | 13.0 | 16 |
| ..Bellevue-Central | 13.1 | 8.6 | 19.7 | 5 |
| ..Bellevue-NE | 12.7 | 8.3 | 19.1 | 5 |
| ..Bellevue-South | 5.2 § | 2.4 § | 11.0 § | 2 |
| ..Bellevue-West | 9.0 | 5.4 | 15.1 | 4 |
| Black Diamond/Enumclaw/SE County | 13.8 | 9.4 | 19.7 | 7 |
| Bothell/Woodinville | 8.9 | 5.0 | 15.1 | 3 |
| Burien | 14.8 | 10.3 | 20.7 | 7 |
| Covington/Maple Valley | 10.2 | 6.3 | 16.1 | 5 |
| Des Moines/Normandy Park | 14.6 | 10 | 20.8 | 7 |
| East Federal Way | 13.1 | 7.8 | 21.1 | 4 |
| Fairwood | 11.4 | 6.0 | 21.1 | 3 |
| Federal Way | 15.8 | 12.2 | 20.2 | 14 |
| ..Fed Way-Central/Military Rd | 16.2 | 11.8 | 22.1 | 9 |
| ..Fed Way-Dash Point/Woodmont | 14.7 | 9.1 | 22.8 | 5 |
| Issaquah | 10.5 | 6.2 | 17.5 | 4 |
| Kenmore/LFP | 14.0 | 9.2 | 20.7 | 6 |
| Kent | 12.2 | 9.2 | 16.0 | 12 |
| ..Kent-East | 14.2 | 8.4 | 22.6 | 4 |
| ..Kent-SE | 11.9 | 7.7 | 17.6 | 5 |
| ..Kent-West | 12.5 | 6.3 | 23.4 | 3 |
| Kirkland | 13.5 | 10 | 18.0 | 11 |
| ..Kirkland | 15.5 | 10.7 | 21.9 | 7 |
| ..Kirkland North | 10.5 | 6.1 | 17.5 | 4 |
| Mercer Isle/Pt Cities | 6.6 | 3.5 | 13.5 | 3 |
| Newcastle/Four Creeks | 14.0 | 8.1 | 23.0 | 4 |
| North Highline | 11.9 | 6.1 | 22.5 | 2 |
| Redmond | 9.5 | 5.9 | 14.9 | 5 |
| Renton | 14.7 | 11.6 | 18.4 | 16 |
| ..Renton-East | 13.2 | 7.2 | 22.6 | 3 |
| ..Renton-North | 17.6 | 11.6 | 25.9 | 6 |
| ..Renton-South | 14.7 | 10.3 | 20.4 | 8 |
| Sammamish | 10.4 | 5.4 | 19.0 | 3 |
| SeaTac/Tukwila | 13.8 | 8.8 | 20.8 | 5 |
| Seattle | 12.2 | 11.0 | 13.6 | 75 |
| ..Ballard | 9.7 | 6.0 | 15.2 | 4 |
| ..Beacon/Gtown/S.Park | 11.8 | 7.6 | 17.5 | 5 |
| ..Capitol Hill/E.lake | 6.9 | 3.7 | 13.1 | 3 |
| ..Central Seattle | 14.4 | 9.7 | 21.1 | 6 |
| ..Delridge | 13.9 | 7.7 | 23.4 | 3 |
| ..Downtown | 14.9 | 10.5 | 28.2 | 7 |
| ..Fremont/Greenlake | 13.0 | 8.2 | 20.3 | 5 |
| ..NE Seattle | 10.4 | 7.0 | 15.2 | 6 |
| ..North Seattle | 12.4 | 8.2 | 18.4 | 6 |
| ..NW Seattle | 14.1 | 9.7 | 20.5 | 7 |
| ..QA/Magnolia | 10.5 | 7.1 | 15.6 | 6 |
| ..SE Seattle | 15.6 | 10.8 | 22.0 | 7 |
| ..West Seattle | 12.6 | 8.9 | 18.0 | 8 |
| Shoreline | 10.8 | 7.7 | 15.2 | 8 |
| Snoqualmie/North Bend/Skykomish | 14.0 | 8.1 | 22.9 | 4 |
| Vashon Island | 11.4 § | 5.2 § | 28.7 § | 2 |

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Colorectal cancer deaths King County, 2000-2014, three-year rolling averages



^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: falling); East KC (2000-14: falling); North KC (2000-14: falling); Seattle (2000-14: falling);
South KC (2000-14: falling); Washington State (2000-14: falling)
Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
08/16